


SPRING CREEK NATIONAL FISH HATCHERY





ANNUAL REPORT 2006

ANNUAL REPORT FISCAL YEAR 2006

| | Spring Creek National Fish Hatchery | |
|---|-------------------------------------|---|
| | Station | |
| | | |
| | | |
| _ | Underwood, Washington | _ |
| | City and State | |

Lauranie D. Marchart

Project Leader

1/8/07

Date

TABLE OF CONTENTS

| | PAGE |
|--|-------------|
| Narrative | 1 |
| Information and Education | 15 |
| Wild Broodstock Summary | 21 |
| Fish and Egg Distribution Summary (Form 3-101) | 22 |
| Hatchery Production Summary (Form 3-103a) | 23 |
| Fish Health Activities Summary (Form 3-108) | 24 |
| Five Year Hatchery Production Summary (Form 3-115) | 25 |
| Operations/Maintenance Cost Data (Form 3-110) | 26 |
| Report of Station Personnel (Form 3-114) | 29 |
| Public Relations (Form 3-172) | 30 |
| Production Year Report | 31 |

Introduction

The U.S. Fish and Wildlife Service's Spring Creek National Fish Hatchery produces tule fall Chinook salmon (*Oncorhynchus tshawytscha*) for the Columbia River Basin as mitigation under the Mitchell Act of 1938 and the Flood Control Act of 1950.

The hatchery was authorized by Special Act 24 Stat.523, March 3, 1887 and Special Act 30. Stat.612, July 01, 1891 and placed into operation in 1901 primarily to support the commercial fishing industry. The hatchery was reauthorized by the Mitchell Act (16 USC 755-757:52 Stat.345) May 11, 1938 and amended on August 8, 1946, (60 Stat.932) for conservation of fishery resources in the Columbia River. The hatchery was remodeled in 1948 to mitigate for Bonneville Dam (Mitchell Act) and was expanded to its present size in 1972 by the U.S. Army Corps of Engineers (COE) for mitigation under the John Day Dam Flood Control Act of 1950.



Spring Creek is located on the Columbia River one mile west of Underwood, Washington, and approximately sixty miles east of Portland, The hatchery sits on 60.21 acres in County, Washington. Skamania Hatchery facilities include: a combined visitor center and spawning building, administration building, feed storage building with crew room, forty-four Burrows ponds, eighteen filterbeds, two settling lagoons, a fish ladder, several service buildings and four sets of quarters. The primary water supply for the hatchery comes from a series of five unnamed springs located at the base of basalt cliffs north of the hatchery. A production well is utilized during incubation and early ponding periods.

Water rights are also held for Columbia River water.

The hatchery produces more than 15 million tule fall Chinook salmon annually. These fish are native to this part of the Columbia River and originally spawned in the White Salmon River which is one mile east of the hatchery. From 1901 to 1938 tule fall Chinook were trapped by seining the mouth of the White Salmon River. Collected eggs were transported to Spring Creek NFH for incubation and fingerlings were released at both the hatchery site and in the White Salmon River. After construction of Bonneville Dam in 1938 adult collections in the White Salmon River became very difficult and by 1964 sufficient number of adults were returning to the hatchery that collection of adults in the White Salmon River was discontinued. Spring Creek is the only hatchery above Bonneville Dam that produces tule fall Chinook salmon and strives to maintain the genetic integrity of this important stock. The tule fall Chinook is an indicator stock for the U.S. - Canadian Pacific Salmon Treaty, providing valuable information on all salmon stocks for harvest management decisions. This stock is also important for meeting the U.S.

important commercial & recreational ocean and lower river fishery and providing mitigation for habitat lost due to construction of dams.



Spring Creek also operates a small substation on the White Salmon River known as the Big White Constructed in the early Ponds. 1950s, the facility sits on 42 acres one and a quarter miles upstream from the mouth of the river. The purpose of the facility was for adult trapping and egg collection for tule fall Chinook salmon. After 1964, when adult trapping was discontinued, the facility was used to raise additional tule fingerings for release into the White Salmon River. Other species, such as brown trout, chum; Coho and spring

Chinook salmon have been reared at the facility and released into the White Salmon River. The last release from the facility took place in 2002, 170,500 spring Chinook salmon. The substation consists of a water intake structure and pipeline, two raceways, a diversion rack in the river and a service building with water rights of 30 cfs from the White Salmon River. The facility has not been operated since 2002 and requires corrective modifications to bring the intake screens into compliance with NOAA, National Oceanic Atmospheric Administration screening requirements before it can be utilized. This facility could play an important role in restoration of native species if Condit Dam is removed as scheduled in 2008 providing access to 16 miles of habitat.

Station Goals

Operation of Spring Creek National Fish Hatchery is guided by five major management goals that were adapted from various policies, regulations, laws, agreements, management plans and legislative mandates that all influence and direct fish production in the Columbia River.

Goal #1: Conserve Columbia River tule fall Chinook salmon in the area upstream of Bonneville Dan (as defined in the Mitchell Act of 1937).

Goal #2: Meet production goals for the John Day Dam Mitigation Program (as defined in the MOU DACW57-73-C-0064)

Goal #3: Assure that hatchery operations support Columbia River Fish Management Plan (*United States v. Oregon*) and U.S./Canada Pacific Salmon Treaty production and harvest objectives.

Goal #4: Minimize impacts to listed (ESA) and other native species, their habitats and the

Goal #4: Minimize impacts to listed (ESA) and other native species, their habitats and the environment.

Goal #5: Develop outreach to enhance public understanding, participation and support of Service and Spring Creek NFH programs.

The Hatchery Evaluation Team, HET, is the forum used to ensure that the hatchery is operating in a manner consistent with its stated goals along with input from both internal and external partners. The HET is made up of representatives from the Lower Columbia River Fish Health Center, Columbia River Fisheries Program Office, Abernathy Fish Technology Center, U.S. Army Corps of Engineers, NOAA Fisheries, Washington Department of Fish and Wildlife and the Yakama Nation. Additional operational guidance is provided in the Hatchery Genetic Management Plan, HGMP, the Comprehensive Hatchery Management Plan, CHMP and the Pacific Region: Fisheries Program Strategic Plan, 2004 - 2008.

2006 Annual Report Narrative

Station Operations

Fish Production

Brood year 2005 - Tule Fall Chinook

The 2005 tule fall Chinook salmon return was moderately large and the escapement to the hatchery

was 34,921. This return produced 24,839 surplus fish, of which 23,987 were sent to be processed for nutrition programs in the Federal Prison system. Of the tule fall Chinook entering the hatchery 1,268 were two-year old males. Female pre-spawning mortality was 5.38%, and 3,744 females were spawned. The final egg take for brood year 2005 was 17.57 million, all of which were retained for production, and no eggs were discarded. Fecundity for this year was 4,692 eggs per female. A spawning ration of 1 male for each 1.5 females was attained. Egg eye-up was 93.2%, and survival to ponding was 88.7%



The total weight gain for fish production during FY 2006 (BY 05, lot number 70) was 132,833 pounds. The amount of feed fed for the year was 108,632 pounds at a cost of \$63,129. The conversion ratio for the year was 0.82. The total number of fish released was 15,239,053 smolts. 1200 eyed-eggs were distributed to local schools for the "Salmon in the Classroom" program.

Initial rearing was excellent again with mortality at 0.47% for the month of December. Mortality never rose above 0.64% for any given month. Survival from ponding to release was 98.87%. The presence of Enteric Redmouth (ERM), caused by the bacterium *Yersinia Ruckeri*, was barely noticed until late April this year. The mortality rate was moderate through April and was never a problem. There were some periods when mortality was elevated due to a combination of factors such as tail rot in conjunction with a small amount of ERM, and some other unknown causes. Because of very stable cold temperatures throughout the rearing cycle fish health was very close to ideal.

Fry were also distributed for research purposes to Jeff Johnson of the Columbia River FPO to assess flow management improvements for fish in flood-controlled (man-made tide control gates) estuary side channels adjacent to Tenasillahe and Welches Islands. The islands are both part of the Julia Butler Hansen National Wildlife Refuge in the lower Columbia River estuary. A total of 2,441 fish were used, with PIT tags and left ventral clips for a special study (993 PIT-tags and 1,448 LV-clipped).

Mass Marking

This year's mass-marking operation was the second-ever complete fish inventory at Spring Creek. Operations went even smoother than the first very successful year of marking. Water temperatures were ideal during the entire period of marking, exceeding 50F° just once and hovering in the 47F° - 48F° zone most of the time.

This marking operation confirmed some successful adjustments to our enumeration procedures. Normal egg handling procedures at Spring Creek includes initial enumeration by fecundity estimates




based on length, and egg weight sampling at shocking and traying. Upon completion of marking operations on March 22, enumeration resulted in an actual ponding count only -0.093% below our estimated ponding number. The initial ponding target is set at a conservative 15.6M. The actual number ponded was 15,570,191 verses the estimated 15,584,608. At the end of the rearing period for brood year 2005 all releases totaled 15,239,053. This brood year some adjustments were made to improve accuracy. Egg weighing scales were calibrated, egg-weighing procedures tightened, and ponding-pipe flushing times extended between ponds. These improvements appear to have contributed to a more

accurate ponding number. Last years ponding estimation was 4.5% low.

Note: For more details on brood year 2005 please refer to the Production Year Report tables attached later in the report on pages 31-33.

Return Year 2006 - Adult Return, Spawning and Egg Take

The return to the hatchery for 2006 barely exceeded the 10,000 fish escapement goal. The total return to the hatchery was 10,745 of which 869 were two-year old males. Spawning started on September 15 and ended September 29th. A total of 12 spawning days were completed and the final estimated egg take was 20.16 million (4,748 eggs/female) from 4,246 females. This year only a small number of surplus fish, 1,123, were sent to be processed for nutrition programs in the Grays Harbor Food Bank System, 118 went to The Confederated Tribes of The Warm Springs Reservation.



during broodstock holding, ripeness/green issues, variable sex ratios, and including jack returns, a more realistic escapement goal for the hatchery is 10,000 adults. We believe that the adult spawning number of 7,000 has been widely assumed to be our total escapement goal which is inaccurate. To safely reach our escapement spawning target needs to be roughly 10,000 total (including jacks).

Study Update(s)

<u>Unfed Fry Study - initiated 1999, sampling ended, was to be ongoing through 2007, with expected completion 2008. Funding was discontinued in FY 2006 and the study terminated.</u>

The release of otolith-marked unfed fry in December 2002 was the last of three releases for the ongoing unfed fry study that was initiated in 1999. The study was intended to assess survival of unfed fry released from Spring Creek, as measured by hatchery returns. Mark-sampling began with the 2001 return and were scheduled to continue through 2007, but funding has ended and with it, the potential to complete the study. As of this report 29 marks have been found in 5,855 samples

analyzed from the 2001, 2002, 2003 and 2004 returns combined. The following table summarizes the date obtained as of February 2006 (BY 2004 samples finally analyzed). It shows the return rate in the unfed fry to be roughly 30 times lower than smolt released fish.

The 2005 adult return was sampled for three and four year old fish. Approximately 1,900 samples were taken but have not yet been analyzed due to lack of funding. Subsequently the only new data to add to the summary is from the 2004 return which as



mentioned above, was processed almost a year after sampling while waiting for funding.

Funding for this project, has been provided under Biological Evaluation (John Day Marking) through the Army Corp of Engineers. Mark verification costs are currently \$12.50 per fish.

Status of Project Tasks

| 2007 - Complete Analysis and Write Final Report | Not to be Completed/No Fish Will Be Sample |
|--|--|
| 2005 - Otolith Mark Verification on Biosampled Fish 2005 (3 and 4 year olds) 2006 - Otolith Mark Verification on Biosampled Fish 2006 (4 year olds) | Sampled Collected Not to be Completed/No Fish Sampled |
| 2004 - Otolith Mark Verification on Biosampled Fish 2004 (2 and 3 year olds) | Completed |
| 2003 - Otolith Mark Verification on Jacks 2003 and Biosampled Fish 2003 (2 and 4 year olds) | Completed |
| 2002 - Otolith Mark Verification on Biosampled Fish 2002 (3 year olds) | Completed |
| 2001 - Otolith Mark Verification on Jacks 2001 | Completed |
| 1999, 2001, 2002 Sampling Juvenile Fish to Verify Marks | Completed |
| Marking of 1999, 2001, and 2002 Brood Years | Completed |

Spring Creek NFH

Unfed Fry Data Summary - February 2006

| Office Fry | y Data Summary - | reoruary 200 | 0 | | | | | | | | | |
|------------|---|------------------------|-----|-------------------|--------------------------------|-----------------------------|---------|--------------------------------------|---|--|---|------------------|
| | otolith marked unfed fry released | total smolt release | age | year collected | otolith samples examined | marked otoliths found | percent | total return this age class | non-adclip return 97.22% of total | expanded return from % marks found X non-adelip return | relative return rate div. expanded marks by unfed release # | return rate smol |
| BY 99 | 3,116,006 | 16,065,945 | 2 | 2001 | 998 | 4 | 0.4008% | 12,037 | 11,702 | 47 | 0.0015% | 0.0749% |
| | | | 3 | 2002 | 2,160 | 17 | 0.8072% | 60,634 | 58,946 | 476 | 0.0153% | 0.3774% |
| (MF relea | used) | 447,323 | 4 | 2003 | 635 | 3 | 0.4724% | 28,719 | 27,919 | 132 | 0.0042% | 0.1788% |
| % adelip | | 2.7843% | 5 | 2004 | 0 | 0 | 0.0000% | 521 | 506 | 0 | | 0.0032% |
| % non-ad | clip | 97.2157% | | | 3,739 | 24 | | 101,911 | 99,073 | 655 | 0.0210% | 0.6343% |
| | | | | BY 05 | - 5's Not Tarş | geted | | | | | | |
| | | | | | | | | | 97.10% OF TOTAL | | | |
| BY 01 | 3,041,402 | 16,117,906 | 2 | 2003 | 710 | 1 | 0.1408% | 7,605 | 7,384 | 10 | 0.0003% | 0.0472% |
| | | | 3 | 2004 | 1406 | 4 | 0.2845% | 54,282 | 52,707 | 150 | 0.0049% | 0.3368% |
| (MF relea | used) | 467,750 | 4 | 2005 | | | | 15,129 | 14,690 | 0 | 0.0000% | 0.0939% |
| % adelip | | 2.9021% | 5 | 2006 | No Sample | s Taken | | | | | | 0.0000% |
| % non-ad | clip | 97.0979% | | | 2116 | 5 | | 77,016 | 74,781 | 160 | 0.0053% | 0.4778% |
| | | | | | | | | | 96.81% OF TOTAL | | | |
| BY 02 | 3,007,990 | 15,079,913 | 2 | 2004 | 522 | 0 | 0.0000% | 5,580 | 5,402 | 0 | 0.0000% | 0.0370% |
| | | | 3 | 2005 | | | | 16,421 | 15,896 | 0 | 0.0000% | 0.1089% |
| (MF relea | ised) | 481,805 | 4 | 2006 | No Sample | s Taken | | | | | | 0.0000% |
| % adelip | 2 | 3.1950% | 5 | 2007 | No Samples | s Will Be Ta | aken | | | | | 0.0000% |
| % non-ad | clip | 96.8050% | | | 522 | | | 22,001 | | | 0.0000% | 0.1459% |
| dl 3 Years | s - 9,165,398 | 47,263,764 | 1 | | 5,8 | 55 | 29 | 0.4953% | | | | |


(MF Released) 1,396,878

Other


An addition to the spawning process this year was a new Coded Wire Tag detector designed and built by Northwest Marine Technologies. It took a number of weeks to do the fitting and finish work to properly install it in the spawning area. All fish passed through the spawning operation this year were run through the detector. With mass-marking producing 100% ad-clipped fish the detector is required to find tags where before tagged fish were the only ones ad-clipped. The new detector required some adjustments but performed well once they were made.

Funding

The majority of funding for Spring Creek National Fish Hatchery was reimbursable provided by the Army Corps of Engineers, COE, under the John Day Mitigation, and NOAA Fisheries, National Oceanic Atmospheric Administration, through Mitchell Act. Maintenance Management funds were also provided by U.S. Fish and Wildlife Service. Total O&M funding for the facility was \$941,694.



Primary Budget expenditure categories include: Salaries, Utilities, Fish Food, Maintenance, Supplies, Service Contracts and Misc.



Additional funds were provided by the COE for replacement of the radiator in the station's standby generator and purchase of a small generator for the new domestic water system, \$30,667. End of the year funding was also provided by the COE for purchase of a new fish stunner and biofilter media that totaled \$24,879. Majority of the funding for a new domestic well and associated equipment was provided by FWS. - \$206,325.

Other Projects

1. A final report from Montgomery, Watson and Harza (MWH) was received that investigated possible spring water collection and delivery improvements to increase total flow to the hatchery. Spring Creek NFH has experienced a decrease in the amount of spring water available for production use over the last few years to a low of 1,900 GPM as measured in July of 2005. The Department of Health had also conducted a sanitation survey on July 26, 2005 and noted concerns with the spring water collection points for domestic use, as possibly ground water influenced, GWI. A contract was awarded to MWH to look at what improvements to the water delivery system to the hatchery that could be implemented to increase water flow and to determine placement and water quantity and suitability for a domestic well. The MWH report did not identify any major improvements that would significantly increase the quantity of water collected for production use, but did proved data on the domestic well drilling project.

2. A new coded wire detector, model T13, was installed in the spawning building prior to the



2006 spawning season. With the implementation of mass marking in 2005 all fish returning for spawning must be scanned for coded wire tags since the adipose fin has been removed. The Columbia Fisheries Resource Office contracted with Northwest Marine Technology to purchase and install the tag detector. Funding was provided through the mass marking budget.

3. In cooperation with the Columbia River Fisheries Resource Office funding was received through the Science Support Program for a two year project to assess the current use and productivity of fish in the lower White Salmon River prior to the

removal of Condit Dam. The USGS Columbia River Research Laboratory collected out-migrating juveniles utilizing a rotary screw trap installed a river kilometer 1.5. The trap operated for 22 days collecting more than 2,900 salmonids. Fin clips were taken from 500 individuals for genetic analysis. In 2007 the trap operation will be expanded to calculate trap efficiency and production estimates. Additional genetic samples will be collected and information for summarizing fish assemblage and use in the lower White Salmon River. The hatchery has interest in determining if there is a naturally producing population of tule fall Chinook that are genetically distinct from the current hatchery population and would be more appropriate as a donor stock for restoration.

Cyclical Maintenance

1. The radiator for the station's standby generator was replaced. During an inspection by hatchery staff, rust in the radiator was discovered. Contracting with The Halton Company the radiator was removed for cleaning, but based on severity of plugging within the core, cleaning was not feasible and a new radiator was purchased and installed – \$18,150.

Major Equipment Purchases

1. A fish stunner, Model SI~5 was purchased. - \$10,500.

Construction/Capital Improvements

- 1. M & K Drilling was awarded a contract to drill a new domestic well for a cost of \$32,210 in July of 2006. During a Washington State Department of Health site inspection concerns were raised with the existing spring water collection points used for domestic supply. It was determined that a well source for domestic use would correct safety and health issues.
- 2. A contract was awarded to Five Rivers Construction in August of 2006 to complete the new domestic water system from the well to the four quarters and hatchery. The project includes installing a 1 500

project includes installing a 1,500 gallon water storage tank, two pressure tanks, new water supply lines, booster pumps and backup generator at a cost of \$228,843. The project is expected to be completed in December of 2006.

- 3. Hatchery staff constructed a wooden structure inside a metal storage building located near the government quarters to house pressure tanks and pumps for the new domestic water system. For a total cost of \$6,293.
- 4. Skamania County PUD was contracted to provide three phase power to the new domestic well equipment room \$6,360.

4. The hatchery has been involved in a number of planning forums and discussion groups to identify data needs and recovery tasks prior and post Condit Dam removal. The hatchery can play a major role in recovery and restoration of native species in the White Salmon River watershed by



utilizing its fish rearing facilities on the river. A management/recovery plan needs to be developed that identifies the use of the Big White Ponds for restoration or recovery to justify funding necessary to meet NOAA Fisheries' screening requirements and bring the facility back into operation.

Staffing

Staffing at Spring Creek NFH includes 11 permanent positions, Hatchery Manager, Assistant Hatchery Manager, Fishery

Biologist, Lead Animal Caretaker, three additional Animal Caretakers, two Maintenance Mechanics, Administrative Assistant, and Information/Educational Specialist.

Personnel Changes

Michael Woods and Edward Gunderson both left the Service with medical disability retirements based on occupational disease claims brought on by repetitive motion activities associated with their jobs.

John Meduna successfully competed for the lead Maintenance Mechanic Position, WG-09 vacated by Bubba Worley in 2004.

Mark Doulos was hired as a term position, Animal Caretaker, WG-03 beginning in November of 2005.

Ron Hopper was hired as a term position, Animal Caretaker, WG-03 beginning in December of 2005 and then successfully competed for a permanent WG-05 Animal Caretaker position vacated by John Meduna.

The Fishery Biologist position was not filled in FY 2006 and may not be filled in the near future due to budget constraints.

One Animal Caretaker position was vacant at the end of FY2006 and is expected to be filled with a temporary WG-03 position early in FY 2007.

Columbia Gorge Information and Education Office

The Columbia Gorge Information and Education Office (I & E) experienced another successful year in generating increased public awareness through expanded community outreach efforts and on-site group visits. The I & E Manager participated at several off-site natural resource education events which generated support for the site and agency. The office provides outreach services for Spring Creek NFH, Carson NFH, and the Lower Columbia River Fish Health Center. The I & E staff also coordinates with the Columbia River Fisheries Program Office on special projects and events. Project Leaders from the various stations meet quarterly with I & E staff to discuss projects and review program objectives.

The I & E Office was staffed by one full-time Information and Education Manager, Cheri Anderson; and one Northwest Service Academy AmeriCorps Volunteer working as an I & E Assistant, Joshua Stoll (Jan 25, 2006 – December 13, 2006).



Partnerships for natural resource education programs continued with external agencies again this year. They included: U.S. Army Corps of Engineers (COE), Vancouver Water Resource Education Center, Underwood Conservation District (UCD), U.S. Forest Service, Girl Scouts of America, Educational Service District 112 in Washington and Educational Service District 74 in Oregon, Northwest Service Academy, Mid-Columbia Fisheries Enhancement Group, Clark County

Public Utilities, Oregon Dept of Fish and Wildlife, Washington Dept of Fish and Wildlife, Port of

Skamania, Yakama Nation Fisheries Program, Benton County Conservation District, and the U.S. Geological Survey.

Area media provided strong support of hatchery programs and events through public service announcements, news stories, and photos. Joanna Grammon, *Skamania County Pioneer*, and Jesse Burkhardt, *The Enterprise*, continue to offer support for both Carson and Spring Creek NFHs by covering Open Houses, Disabled and Kid's Fishing Day and other unique photo opportunities throughout the year.

We have a continuing memorandum of agreement with the 503(c) non-profit *Friends of Northwest Hatcheries*, based at the Leavenworth NFH. Each year the hatcheries that the *Friends* group are associated with have the opportunity to request funding



for special projects. This year *Friends* funded two DVDs for a Water Education Curriculum developed by our office totaling \$294.00. In addition, sales from the Spawn Shop II totaled \$198.21. The I & E Manager continues to participate in monthly board meetings via phone and annual meeting each August in Leavenworth, WA.



Regional Director Ren Lohoenefer, State Representative Linda Flores, Manager Douglas Dysart, Estacada Mayor Bob Austin and Assistant Regional Director of Fisheries Dan Diggs.

A considerable amount of time and effort devoted to the planning preparation of the Eagle Creek NFH 50th Anniversary Celebration. The I & E Assistant created the invitations, logo and program for the event. The day was a success drawing over 150 people to the hatchery to enjoy a cultural celebration complete with cultural dancing, salmon

bake lunch. spawning formal hatchery tours and

ceremony.

Efforts to improve the visitor orientation area at Spring Creek NFH were continued this year. The island near the entrance of the hatchery was improved by last years AmeriCorps volunteer by adding landscaping cloth, bark chips and a graveled picnic area. This years AmeriCorps volunteer continued these efforts. A native plant plan was created and implemented. He worked with Columbia High School Horticulture class to propagate plants from seeds and cuttings. I & E



staff transplanted and purchased an array of native plants. A work day with the students was done in conjunction with Earth Day 2006. Over 100 native plants were planted throughout the area. A bench and brochure box were also added to enhance the visitor experience.

Education

I & E staff continue to be active and involved in area schools. Spring Creek NFH houses five aquariums/chillers for loan to area schools for a Salmon in the Classroom program. This program provides an opportunity for students to rear salmon in their classroom. Participating teachers present a six week cross curriculum unit with assistance from I & E staff. Each aquarium set up is loaned out for a three to four month period twice a year for maximum utilization. In addition, several area schools have purchased aquarium/chillers to participate in this program. A total of 16 classrooms participated in this program for the 2005/2006 school year.

Our office continued to foster the partnership with the Yakama Nation Fisheries Program (YNFP). The four fish tanks/chillers that were purchased by YNFP were placed this year in Glenwood, Klickitat, Wishram and Goldendale Schools. In an effort to be more involved in area schools, Jeanette Burkhardt with the YNFP assisted in classroom learning activities, parent night at Klickitat School and lining up tribal elders to present cultural talks in these schools.

I & E staff visited mid-Columbia Region classrooms to provide a series of hands-on educational activities to supplement existing salmon units. Fashion-A-Fish is an adaptation lesson designed to allow students to create a fish and its required habitat, fish dissection explores internal and external anatomy with students, and Gyotaku further looks at anatomy through fun and artistic fish printing. In addition, many classes request talks about salmon declines and the history of the Columbia River fishery.



I & E staff continue to assist area schools with stream adoptions. I & E staff assist Whitson Elementary fourth graders with water quality monitoring of Jewett Creek each month. Wind River Middle School Outdoor Education class continued with its seventh year of adopting Kanaka Creek in Stevenson, WA. This adoption includes water quality testing, invasive weed removal, a tour of the waterfront by Port of Skamania, and macro-invertebrate inventories.

This class enters its fourth year of watershed assessments of


the Wind River. Our office, COE and UCD provide in-class learning about watersheds, the importance of healthy streams and how this affects salmon in our region. Students perform water quality tests, macro-invertebrate inventories, soil profiles and plant identification in three field days along the Wind River. The unit culminates with a Parent Night highlighting what students have learned and provides agencies the opportunity to further explain our programs to members of the community.

New this year is the addition of watershed assessment by the Cascade Locks Middle School and Mill A 7th and 8th grade students. Students are rearing salmon in their classrooms and have added stream assessments and ecosystems to their studies. In partnership with COE and UCD, students performed water quality testing and macro-invertebrate inventories in Herman Creek and Bass Lake. They are gaining a better understanding of why healthy streams are important to salmon. The students observed spawning coho in both water systems.



Cascade Locks Middle School students learn about stream health.

The third annual Bass Lake Field Day inspired 100 Kindergarteners from Whitson Elementary in spring 2006. This unique learning experience provides hands on activities in stream, forest, and meadow ecosystems. Students culminate the day at Bonneville Dam to view returning salmon and complete activity books for reinforced learning. This is a partnership between USFWS, COE and Whitson Elementary School. This Bass Lake Field effort was then duplicated for 50 Carson Elementary fifth graders at a Skamania County Park in the form of Outdoor School. The I & E Office participated in this learning effort as well.



Columbia Camp for Educators entered its fourth year in 2006. This educator workshop was modified this year to provide an array of curriculum guides to teachers. Each field day provided new ideas for unique learning that teachers can pass on to their classes. This camp is made possible by a partnership between USFWS, COE, the City of Vancouver, WSU Vancouver and the Environmental Information Cooperative.

The Lewis and Clark Learning Trunk was in constant use throughout the school year and into the summer with special camps. This trunk traveled to 11 schools offering more than 350 students learning opportunities.

The USFWS Lewis and Clark traveling van exhibit was part of a larger National Park Service Tent of Many Voices event in Stevenson, WA in April. The I & E Manager assisted with set up, staffing of the exhibit and providing programs to over 500 students throughout the course the event. Nearly 2,300 visitors attended the event.

Special Events*

Annual events in which the I & E Office participates include:

- HUGS (Health and Safety) Fair, White Salmon, WA (500 contacts)
- Clark County Home and Garden IDEA Fair, Vancouver, WA* (6,000 contacts)
- Benton County Salmon Summit, Richland, WA* (1,000 contacts)
- Sturgeon Festival, Vancouver, WA* (1,100 contacts)
- Multnomah Falls Family Weekend (500 contacts)
- National Boating and Fishing Week events

Oregon Dept. of Fish and Wildlife Bonneville Dam Free Fishing Day (1,735 contacts)

Trout Lake U.S. Forest Service Free Fishing Day (400 visitors)

- 7th Annual Carson NFH Open House* (239 visitors)
- Sternwheeler Days, Cascade Locks, OR (600 contacts)
- Hood River County Fair, Odell, OR* (500 contacts)
- Skamania County Fair, Stevenson, WA (200 contacts)
- Trout Lake Community Fair, Trout Lake, WA (135 contacts)
- 7th Annual Carson NFH Disabled Fishing Day* (35 contacts)
- 7th Annual Carson NFH Kid's Fishing Day* (600 contacts)
- Wenatchee River Salmon Festival, Leavenworth, WA* (600 contacts)
- Spring Creek NFH Open House (150 contacts)

^{*}events where Migration Golf - Links to the Sea miniature golf course was featured

Outreach/Inreach

I & E Manager and Spring Creek Manager continued to inform district Congressmen in Washington and Oregon and area County Commissioners about issues regarding mass marking. They offered special tours and provided white sheets/press packets regarding hatchery operations and mass marking.



The I & E Assistant created and realistically painted 15 large, wooden spring Chinook salmon for interpretive display at the Carson NFH.

The I & E Manager offered assistance to Eagle Creek and Warm Springs NFH as needed in an ongoing effort to offer complete and quality programming to the public.

I & E and hatchery staff continue to be present and show support at Jewett Creek Streamkeepers, White Salmon River Management Committee, Wind River Technical Advisory Committee, and Wind River Watershed Council monthly/quarterly meetings.

I & E staff continue to photo document the area around the Big White Pond facility on the White Salmon River. Three photo stations are located in the vicinity of the facility. Photos are taken in the spring and fall each year and randomly when significant weather events occur.

I & E Manager maintains and updates the Columbia Gorge National Fish Hatcheries webpages.

I & E Manager creates and distributes the annual Columbia Gorge Outreach Notes in conjunction with Hatchery Data Sheets created by the Columbia River Fisheries Program Office. These informational documents are mailed electronically each fall to over 80 recipients.

FY 2006 Visitor Use Statistics

| Type of Program | # of contacts | # of contacts | % change from FY05 | |
|--------------------------|---------------|---------------|--------------------|--|
| 1000 | FY06 | FY05 | | |
| ON-SITE | | | | |
| Guided tours (SC) | 905 | 885 | 2% | |
| Guided tours (Carson) | 110 | 180 | -39% | |
| Open House (SC) | 150 | 200 | -25% | |
| Open House (Carson) | 239 | 200 | 16% | |
| Carson Fishing Days | 635 | 525 | 17% | |
| OFF-SITE | | | | |
| Programs/displays/events | 122 | 110 | 10% | |
| # of Contacts | 18,363 | 13,972 | 24% | |

A traffic counter was installed at Spring Creek NFH in September 2003. A formula was worked up to consider employee and regular delivery vehicles coming and going to work each day. The estimated number of visitors according to the traffic counter = 5,181. This visitor count reflects only drive in visitors, not group tours coming in buses.

WILD BROODSTOCK SUMMARY

| Station: Spring Creek Na | Period Covered: October 1, 2005 Through: September 30, 2006 | | | | | | | |
|--------------------------------|---|--------|-------------------|-------|--|-----------|--------------------------|-----------------------------|
| Species/Strain And Stock | nd Returned Or | | Number Spawned | | Eggs (E) Taken or Fish (F) Harvested | | Eggs Retained For | Remarks |
| | Females | Males | Females | Males | Number | % Eyed | On-Station Production | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| FCS-SCW-06-SPC-71 | 5,825 | 4,051 | 4,246 | 2,812 | 20,160,523 | 93.1 | 17,681,879 | Eggs Retained is Prediscard |
| JACKS | | 869 | | 125 | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | 1 |
| | | | | F | | | | |
| | | | | | | | | |
| Totals/Averages | 34,171 | 31,475 | 3,741 | 3,031 | 20,160,523 | 93.1 | 17,681,879 | |

Form 3-101 (Rev. 1/89)

FISH AND FISH EGG DISTRIBUTION SUMMARY

Station: Spring Creek National Fish Hatchery

Fiscal Year: 2006

| Species | Fish or Fish Egg Number | Fish | | Management Area | | Agency |
|----------------|----------------------------|-----------------|----------|---------------------------|----|---------------------------|
| 1 | 2 | Total Weight | Length 4 | 5 | 6 | 7 |
| FCS-SCW-SPC-70 | 800 EYED EGGS | 1 | EE | WHITSON ELEMENTARY SCHOOL | WA | |
| MARCH RELEASE | 7,591,028 | 44,340 | | COLUMBIA RIVER | WA | |
| APRIL RELEASE | 4,227,017 | 50,381 | | COLUMBIA RIVER | WA | |
| MAY RELEASE | 3,418,567 | 51,718 | 146,439 | COLUMBIA RIVER | WA | USFWS-LCRFPO,JEFF JOHNSON |
| SMOLTS | 2,441 | 40 | | COLUMBIA RIVER | WA | |
| | | | | | | |
| | | | | | | |
| TOTAL FISH | 15,239,053 | 148,880 | | | | |
| TOTAL EGGS | 800 | 1 | | | | |
| | | | | | | 4 |
| | | | | | | 14 |
| | | | | | | |

HATCHERY PRODUCTION SUMMARY (INTENSIVE CULTURE)

| Station: Spring Creek Natio | tation: Spring Creek National Fish Hatchery Period Covered: 10/01/05 Through: 09/30/06 | | | | | | | | | |
|-----------------------------|--|------------|------------|-----------|------|----------------|---------------|--------------------------|------------|---------------------|
| Species/Strain and | F | ish on Han | d Last Day | of Period | | | | To Date This Fiscal Year | | |
| Lot Number | Number | Weight | Length | D.I. | F.I. | Weight Gain | Feed Expended | | Conversion | Percent Survival |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | Pounds 8 | Costs 9 | 10 | 11 |
| FCS-SCW-05-SPC-70 | | | | | | 132,833 | 108,632 | 63,129 | .81 | 97.87 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | - | | | | | | | | | |
| | | | | 12 | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | 1 |
| | | | | | | | | | | |
| Totals/Averages | | | | | | 132,833 | 108,632 | 63,129 | .81 | 97.87 |

FISH HEALTH ACTIVITIES SUMMARY NATIONAL FISH HATCHERY

Station: Spring Creek National Fish Hatchery

Fiscal Year: 2006

| Problem/Incident/Activity | Species | Therapeutic | Results/Comments | | |
|---------------------------|--------------|--|--|--|--|
| 1 | 2 | Treatment 3 | 4 | | |
| ENTERIC RED MOUTH | FALL CHINOOK | 10 DAY MEDICATED FEED TRIAL ON 3 PONDS, 3 CONTROL | MONITORED CLOSELY, MORTALITY ELEVATED. | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| Chemical: IODOPHOR | Purpose: <u>DISINFECTION</u> | Total Amount Used: 400 GALLONS | Total Cost: \$386.00 |
|--------------------|------------------------------|--------------------------------|----------------------|
| MS-222 | ANESTHETIC | 10.4 KILOS | \$1,816.00 |

Chemical Summary:

FIVE YEAR HATCHERY PRODUCTION SUMMARY

STATION: Spring Creek National Fish Hatchery

| | | | Fiscal Year | | |
|---|------------|------------|-------------|------------|------------|
| | 2006 | 2005 | 2004 | 2003 | 2002 |
| Fish Production Data Intensive Culture: Fish Weight Gain (pounds) | 132,833 | 125,835 | 153,146 | 172,231 | 168,069 |
| Fish Numbers | 15,239,053 | 14,541,602 | 14,653,529 | 15,079,904 | 18,311,914 |
| Percent Survival | 97.87 | 97.67 | 97.9 | 97.7 | 97.9 |
| Feed Conversion | .82 | .79 | .79 | .73 | .74 |
| Extensive Conversion Fish Weight Gain (pounds) | | | | | |
| Fish Numbers | | | | | |
| Percent Survival | | | | | |
| Pounds Per Acre | | | | | |
| Broodstock Production Data | | | | | |
| Number of Females Spawned | 4,246 | 3,744 | 3,741 | 4,434 | 4,960 |
| Number of Eggs | 20,160,523 | 19,627,769 | 18,923,838 | 23,017,675 | 24,662,666 |
| Number of Fish | | | | | |
| Management Data Full-Time Equivalents | 8.87 | 8.73 | 10.76 | 9.56 | 10.97 |
| Operational Costs | 892,822 | 954,867 | 1,019,201 | 976,792 | 901,529 |
| Vehicle/Equipment Costs (Items Over \$1,000) | 0 | 20,728 | 20,828 | 45,518 | 0 |
| Cyclical Maintenance Costs | | 52,551 | | | 12,612 |
| Quarters Costs | 11,499 | 18,657 | 5,644 | 20,758 | 25,652 |

Form 3-115 (Rev.1/89)

OPERATION/MAINTENANCE COST DATA

STATION: Spring Creek National Fish Hatchery

FISCAL YEAR: 2006

| | Funding Source | | | | | | | |
|---------------------------|---|------------------------------|-----------------------|--|--|--|--|--|
| Operations (Fisheries) | Cyclical Maintenance (Fisheries) 2 | Quarters Maintenance 3 | Other Funding 4 | | | | | |
| \$2,420.03 | | | \$569,310 | | | | | |
| | | | \$4,830 | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | \$2,802 | | | | | |
| | | | *\$111,494 | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| 2 | | | \$4,74 | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

- 2. Salaries, Temporary (Including Benefits):
- 3. Operating Costs:

A. Utilities

- 1. Telephone
- 2. Electricity
- 3. Heating Oil
- 4. Natural Gas
- 5. Other (Gorgenet)

B. Vehicle Maintenance

Distribution Vehicles
 Total Mileage 0

Form 3-110a (Rev. 1/89)

^{1.} Salaries, Permanent (Including Benefits):

^{*}Actual Charges \$138,741.43 - \$27,247.43 RDS'd to FY 2005.

OPERATION/MAINTENANCE COST DATA

STATION: Spring Creek National Fish Hatchery

FISCAL YEAR: 2006

| | | FUNDING SOURCE | | | |
|--|-------------------------|--|-------------------------|---------------|--|
| | Operations Fisheries | Cyclical Maintenance (Fisheries) | Quarters Maintenance | Other Funding | |
| | 1 | 2 | 3 | 4 | |
| B. Vehicle Maintenance (continued) | | | | | |
| 2. Non-Distribution Vehicles | | | | | |
| Total Mileage: 27,300 | | | | \$1,366.00 | |
| C. Fuel for Vehicles/Equipment | | | | \$9,140.00 | |
| | | | | | |
| D. Supplies | | | | | |
| 1. Fish Food | | | | *\$49,425.00 | |
| 2. Chemicals | | | | \$16,865.00 | |
| 3. Fertilizer | | | , | | |
| 4. Tags and Tagging Supplies | | | | | |
| Office Supplies/Custodial/Other Supplies | \$5,442.00 | | | \$62,212.00 | |
| | w. | | | | |
| E. Travel | | | | \$14,838.00 | |

Form 3-110b (Rev. 1/89)

^{*\$15,591.00} Fish Food purchased with FY 2005 Funds.

OPERATION/MAINTENANCE COST DATE

STATION: Spring Creek National Fish Hatchery

FISCAL YEAR: 2006

| 3. F. Moving Expense G. Miscellaneous - Co-Op Agreements, Contracts Rendering, Training |
|---|
| TOTAL TANKEN |
| 4. Operations (Total: Line 1, 2, 3 A-G) |
| 5. Vehicles/Equipment Purchased (Over \$1,000) |
| 6. Cyclical Maintenance |
| 7. Quarters Maintenance |

8. Total Maintenance (Total: Lines 5, 6, and 7)

9. Column Totals (Total Lines 4 and 8)

| | FUNDING SOURCE | | | | |
|-------------------------|--|-------------------------|---------------|--|--|
| Operations Fisheries | Cyclical Maintenance (Fisheries) | Quarters Maintenance | Other Funding | | |
| 1 | 2 | 3 | 4 | | |
| | | | | | |
| \$23,360.00 | | | \$45,794.00 | | |
| \$31,223.00 | | | \$892,822.00 | | |
| | | | | | |
| | | \$11,499.00 | | | |
| | | \$11,499.00 | | | |
| \$31,223.00 | | \$11,499.00 | \$892,822.00 | | |

10. Total Expenditures (Add Totals of Column 1-4) \$935,544.00

REPORT OF STATION PERSONNEL

| FATION: Spring Creek National Fish Hatchery | | | | | FISCAL YEAR: 2006 | |
|---|------------------------------------|--------------------|-------------------------|---------|-------------------|--|
| | Part I - | Permanent Personr | nel (FTE's: 8.87) | | | |
| Name of Employee | Functional Title | Grade | Period Worked | Remarks | FTE | |
| Marchant, Lawrence S. | Hatchery Manager | GS 0482/13 | 10/01/2005 - 09/30/2006 | | 1 | |
| Ahrens, Mark A. | Asst. Hatchery Manager | GS 0482/12 | 10/01/2005 - 09/30/2006 | | 1 | |
| Anderson, Cheri A. | Information & Education Specialist | GS 1001/11 | 10/01/2005 - 09/30/2006 | | 1 | |
| Armstrong, Ronald D. | Maintenance Mechanic Helper | WG 4749/8 | 10/01/2005 - 09/30/2006 | | 1 | |
| Doulos, Mark F. | Laborer | WG 3502/3 | 10/19/2005 - 09/30/2006 | | .99 | |
| Hogberg, Debra L. | Program Assistant | GS 0303/7 | 10/01/2005 - 09/30/2006 | | 1 | |
| Hopper, Ron L. | Animal Caretaker | WG 5048/5 | 11/13/2005 - 09/30/2006 | | .88 | |
| Meduna, John H. | Maintenance Mechanic | WG 4749/9 | 10/01/2005 - 09/30/2006 | | 1 | |
| Zirjacks, Scott L. | Animal Caretaker Leader | WL 5048/5 | 10/01/2005 - 09/30/2006 | | 1 | |
| | | | | | | |
| | Part II | - Temporary Persor | nnel (FTE's: .18) | | | |
| Name of Employee | Functional Title | Grade | Period Worked | Remarks | FTE | |
| Hankin, Chrisptopher | Animal Caretaker | WG 5048/2 | 12/17/2005 - 05/08/2006 | | .18 | |
| | | 2 | | | | |
| | | | | | | |

PUBLIC RELATIONS

| Stati | on: Spring Creek NFH | | Fiscal Year: 2006 |
|-------|--|------------------|-------------------|
| 1. | Presentations: | Number of Groups | Number of People |
| | On Site | 36 | 1143 |
| | Off Site | 122 | 18,363 |
| 2. | Number of Visitors | | |
| | Official | 0 | 0 |
| | Public | 0 | 5,181 |
| 3. | Other Public Relations Activity Type of Activity a. | vities: | |
| Co-C | Op Agreements With: | | |
| Volu | nteer Agreement With: 1. Northwest Service 2. Friends of Northwest 3. Columbia High S | | ong-term) |
| See p | pages 15-20 for details. | | |

Form 3-172 (Rev. 1/89)

2006 PRODUCTION YEAR REPORT

Spring Creek National Fish Hatchery

Fall Chinook Salmon

Hatchery Return Measurements 2005

Table 1: 2005 Adult Returns, Dead In Ponds (DIPs), Killed as Surplus, Other (Bad or Green Females) and Spawned.

| | Males | Females | Jacks | Totals |
|-------------------------|--------|---------|-------|--------|
| Adult Return | 12,478 | 20,545 | 1,268 | 34,291 |
| DIP's | 1,506 | 1,105 | 168 | 2,779 |
| Killed as Surplus | 8,590 | 15,190 | 1,059 | 24,839 |
| Other (Bad or Green) | | 506 | | 506 |
| Spawned | 2,382 | 3,744 | 125 | 6,167 |

Dates of Adult Return: <u>August 29 - October 2</u>
Dates of Spawning: <u>September 15 - September 3</u>0
Results: 17,567,655 eggs taken (4,692 real fecundity)

Incidence of Disease in Adults:

Females

| Males | <u>60</u> sampled | | |
|-------|--------------------------------------|---------|---|
| | Infectious Hematopoietic Necrosis | (IHN)_ | 0 |
| | Infectious Pancreatic Necrosis | (IPN)_ | 0 |
| | Viral Hemorrhagic Septicemia | (VHS)_ | 0 |
| | Erythrocytic Inclusion Body Syndrome | (EIBS)_ | 0 |

| 1 cinaics | | | |
|-----------|--|-------|---|
| | 150 sampled | | |
| | | (IHN) | 3 |
| | | (IPN) | 0 |
| | | (VHS) | 0 |
| | 150 sampled Renibacterium salmoninarum | 2 | |
| | 0 sampled Yersina ruckeri | 0 | |
| | Aeromonas salmonicida | 0 | |

20 sampled Ceratomyxa shasta

Table 2: 2005 Adult Return Age Composition and Mean Lengths.

| Male | | | Female | | |
|-------|--------|-------------|--------|--------|-------------|
| Age | Number | Mean Length | Age | Number | Mean Length |
| 2 | 2,314 | 64.57 | 2 | | |
| 3 | 7,174 | 86.43 | 3 | 9,247 | 83.04 |
| 4 | 4,165 | 94.29 | 4 | 10,964 | 88.30 |
| 5 | 93 | 99.50 | 5 | 334 | 93.43 |
| Total | 13,746 | | | 20,545 | |

Hatchery Rearing BY2005

| Green | Eggs | Taken | 17,567,655 | (actual) |
|-------|------|-------|------------|----------|
| | | | | |

Kept 16,364,829 (None Discarded)

Shipped 800

Survival Percentages Green To Eyed Egg 93.2%

Eyed Egg To Ponding
Ponding To Release

95.2%

97.9%

Fry Ponded for Production 15,570,191

Released <u>15,239,053</u>

Table 3: Rearing Conditions for System During Rearing Period (Dec. 2005 - May 2006).

| Month | Density Index | Flow Index | Ammonia (ppm) |
|----------|---------------|------------|---------------|
| December | 0.09 | 0.86 | 0.18 |
| January | 0.16 | 1.09 | 0.19 |
| February | 0.24 | 1.44 | 0.23 |
| March | 0.18 | 0.88 | 0.24 |
| April | 0.18 | 0.90 | 0.21 |
| May | 0.16 | 0.90 | 0.15 |

Table 4: Fish Health Conditions During Rearing Period (Dec. 2005 - May 2006).

| Date | Presence of Pathogens |
|------------|--|
| At Ponding | None |
| January | None |
| February | Slightly elevated mortality, presence of ERM and Y.ruckeri. |
| March | Mortality still slightly elevated but normal range, presence of ERM, close |
| | monitoring. |
| April | Good health in most with ERM still present at low-level. |
| May | Rising mortality no known cause, possible smoltification related. Release |
| | date advanced to May 5. |

Release Conditions for Fish Held in Production Ponds Only

Table 5: Conditions at Release.

| At Release (by group) | March | April | May |
|--|----------------|--------------------|--------------------|
| Date | 3/02/06 | 4/17/06 | 5/05/06 |
| Average Length (in.) | 2.69 | 3.49 | 3.69 |
| Total Released* | 7,591,028 | 4,227,017 | 3,421,008 |
| Index Marked | 150,180 | 150,176 | 151,439 |
| | (CWT only) | (CWT only) | (CWT only) |
| | 150,223 | 150,458 | 150,057 |
| | (AD+CWT) | (AD+CWT) | (AD+CWT) |
| Other Marks | All other 100% | All other 100% Ad- | All other 100% Ad- |
| | Ad-clipped | clipped | clipped |
| Water Temp in River(F) 5-Day Ave Dam Spill | 44.0 | 49.5 | 50.5 |

2006 PRODUCTION YEAR REPORT

Spring Creek National Fish Hatchery

Fall Chinook Salmon

Hatchery Return Measurements 2005

Table 1: 2005 Adult Returns, Dead In Ponds (DIPs), Killed as Surplus, Other (Bad or Green Females) and Spawned.

| | Males | Females | Jacks | Totals |
|-------------------------|--------|---------|-------|--------|
| Adult Return | 12,478 | 20,545 | 1,268 | 34,291 |
| DIP's | 1,506 | 1,105 | 168 | 2,779 |
| Killed as Surplus | 8,590 | 15,190 | 1,059 | 24,839 |
| Other (Bad or Green) | | 506 | | 506 |
| Spawned | 2,382 | 3,744 | 125 | 6,167 |

| Dates of A | dult Return | : August | 29 - | October 2 |
|-------------|-------------|--------------|-------|----------------------|
| Dates of Sp | oawning: | September | 15 - | September 30 |
| Results: | 17,567,65 | 55 eggs take | en (4 | ,692 real fecundity) |
| | | | | |
| | | | | |

| Incidence of Disease in Adults: | |
|---|--------------------|
| Males <u>60</u> sampled | |
| Infectious Hematopoietic Necrosis | (IHN) 0 |
| Infectious Pancreatic Necrosis | (IPN) 0 |
| Viral Hemorrhagic Septicemia | (VHS) 0 |
| Erythrocytic Inclusion Body Syndrome | (EIBS) 0 |
| Females150sampled | (IHN) 3 (IPN) 0 |
| | (VHS) 0 |
| <u>150</u> sampled Renibacterium salmoninarum | 2 |
| 0 sampled Yersina ruckeri | 0 |
| Aeromonas salmonicida | 0 |

20 sampled Ceratomyxa shasta